



HAND CRANKED HOSE REEL 80M CAPACITY

MODEL NO: **GH80.V3**

Thank you for purchasing a Sealey product. Manufactured to a high standard, this product will, if used according to these instructions, and properly maintained, give you years of trouble free performance.

IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY AND WILL INVALIDATE THE WARRANTY. KEEP THESE INSTRUCTIONS SAFE FOR FUTURE USE.



Refer to instructions



Wear protective gloves



Wear safety footwear

1. SAFETY

- ✓ Familiarise yourself with the application and limitations of the hose reel, as well as the specific hazards.
- ❑ **WARNING!** Disconnect the hose reel from the water supply before changing accessories, servicing or performing any maintenance.
- ✓ Maintain the hose reel in good condition (use an authorised service agent).
- ✓ Replace or repair damaged parts. *Use recommended parts only. Unauthorised parts may be dangerous and will invalidate the warranty.*
- ✓ Locate and fix the hose reel in a suitable working area. **DO NOT** position the hose in direct sunlight, or in areas of extreme heat or cold.
- ✓ Ensure there is adequate lighting.
- ❑ **WARNING!** Ensure maximum pressure is not exceeded.
- ✓ Keep extended hose away from heat, oil and sharp edges.
- ✓ Check hose for wear before each use, and ensure all connections are secure.
- ✓ Maintain correct balance and footing. Ensure the floor is not slippery and wear non-slip shoes.
- ✓ Remove ill fitting clothing. Remove ties, watches, rings, and other loose jewellery and contain and/or tie back long hair.
- ✓ Keep children and unauthorised persons away from the working area.
- ✗ **DO NOT** operate the hose reel if any parts are damaged or missing as this may cause failure and/or personal injury.
- ✗ **DO NOT** exceed the rated capacity of the hose reel.
- ✗ **DO NOT** use the hose reel for any purpose other than that for which it is designed.
- ✗ **DO NOT** yank the hose from the water supply.
- ✗ **DO NOT** operate the hose reel when you are tired or under the influence of alcohol, drugs or intoxicating medication.
- ✗ **DO NOT** direct water from the water hose at yourself or others.
- ✓ When not in use ensure the water supply is turned off and tools disconnected. Disconnect from the water supply and retract the hose.

2. INTRODUCTION

Heavy-duty steel open style construction with mounting bracket for fixing to wall or floor. Suitable for industrial applications or areas where longer length of hose is required. Will hold up to 80m(260ft) of Ø13mm hose. Supplied with PTFE tape for fitting the valve.

3. SPECIFICATION

Model no.: **GH80.V3**
Hose capacity: 80m x Ø13mm
Maximum pressure: 300psi (20bar)
Inlet/outlet: 3/4" BSP Female

4. MOUNTING / ASSEMBLY

NOTE! Fit reel to wall before fitting hose to reel.

- 4.1. Fix the reel in an appropriate position ensuring that the wall and the four mounting fixings (not supplied) will adequately support the weight of the reel and hose as well as the tension of the hose as it is pulled from the reel.
- 4.2. Ensure that the hose reel is located so that the hose can be operated without causing unnecessary sideways force.
- 4.3. It is recommended that two people fit the reel to the chosen surface, one to support the weight and the second to secure the reel using the bolt holes. Four sturdy masonry bolts are suitable for securing the hose reel, providing they give ample support during the unreeling/reeling of the hose.
- 4.4. Attach the hose to the 3/4" BSP female fitting and wind it onto the reel taking care to guide the hose from one side of the reel to the other to prevent bunching of the hose.
- 4.5. Attach the supply hose to the 3/4" BSP female external fitting.

5. MAINTENANCE & STORAGE

- 5.1. To ensure reliable operation, clean the hose and reel regularly using a cloth and warm water.
- 5.2. Should you wish to store the hose and reel, ensure it is clean and dry. Place in a dark, safe, dry, childproof location, where the temperature will remain reasonably stable.



ENVIRONMENT PROTECTION

Recycle unwanted materials instead of disposing of them as waste. All tools, accessories and packaging should be sorted, taken to a recycling centre and disposed of in a manner which is compatible with the environment. When the product becomes completely unserviceable and requires disposal, drain any fluids (if applicable) into approved containers and dispose of the product and fluids according to local regulations.

Note: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice. Please note that other versions of this product are available. If you require documentation for alternative versions, please email or call our technical team on technical@sealey.co.uk or 01284 757505.

Important: No Liability is accepted for incorrect use of this product.

Warranty: Guarantee is 12 months from purchase date, proof of which is required for any claim.

Sealey Group, Kempson Way, Suffolk Business Park, Bury St Edmunds, Suffolk. IP32 7AR



01284 757500



01284 703534



sales@sealey.co.uk



www.sealey.co.uk