



## Section 1. Product and Company Identification.

**1.1 Model Number;** SCS043 v1  
**1.2 Description;** Rubber Care Silicone Free Lubricant 500ml Pack of 6

**1.3 Manufacturer;**

Sealey Group.  
Kempson Way,  
Bury St. Edmunds,  
Suffolk.  
IP32 7AR

**1.4 Emergency telephone number;** 44 (0) 1284 757 500 (Office Hours)

**Date of source compilation;** 27/05/2015

## Section 2. Hazards Identification.

**2.1 Classification of the substance or mixture.**

Carc. 1B  
Muta. 1B  
Asp. Tox. 1  
Flam. Gas 1  
Press. Gas

**2.2 Label elements.**

**Hazard pictogram(s)**



**Signal Word.** Danger

**Hazard statements;**

Extremely flammable gas.  
May be fatal if swallowed and enters airways.  
May cause genetic defects.  
May cause cancer.



**Section 2. Hazards Identification (continued)**

**Precautionary statements;**

Keep out of reach of children.  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
 Do not spray on an open flame or other ignition source.  
 Use only outdoors or in a well-ventilated area.  
 Pressurised container: Do not pierce or burn, even after use.  
 Avoid breathing vapour/spray.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 IF IN EYES: Rinse cautiously with water for several minutes.  
 Remove contact lenses, if present and easy to do. Continue rinsing.  
 IF ON SKIN: Wash with plenty of soap and water.  
 Dispose of contents/containers in accordance with local regulations.  
 Avoid release to the environment.  
 Wash contaminated skin thoroughly after handling.  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 Call a POISON CENTRE or doctor/physician if you feel unwell.  
 If skin irritation occurs: Get medical advice/attention.  
 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

**2.3 Other hazards.**

None identified.

**Section 3. Substances.**

3.1 Chemical Name (substance)	3.1 CAS No.	3.2 Concentration Volume	Classification	
			Hazard Class & Category Code	Hazard Statements <sup>1</sup>
Naphtha (Petroleum), Hydrotreated Light	64742-49-0	30 - 60%	Carc. 1B Muta. 1B Asp. Tox. 1	H350 H340 H304
Butane	106-97-8	10 - 30%	Flam. Gas 1 Press. Gas	H220
Propane	74-98-6	10 - 30%	Flam. Gas 1 Press. Gas	H220
Isobutane	75-28-5	5 - 10%	Flam. Gas 1 Press. Gas	H220

<sup>1</sup>For full text of Statements, see Section 16.



## Section 4. First Aid Measures.

### 4.1 Description of first aid measures

#### Inhalation

Move the exposed person to fresh air at once.

Keep the affected person warm and at rest. Get prompt medical attention.

#### Skin Contact

IF ON SKIN: Wash with plenty of soap and water.

#### Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Ingestion

DO NOT INDUCE VOMITING! Rinse mouth thoroughly with water.

Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## Section 5. Fire Fighting Measures.

### 5.1. Extinguishing media

Powder. Dry chemicals, sand, dolomite etc. Water spray, fog or mist.

### 5.2. Special hazards arising from the substance or mixture

Aerosol cans may explode in a fire.

### 5.3. Advice for fire-fighters

Containers close to fire should be removed or cooled with water.

Use water to keep fire exposed containers cool and disperse vapours.



## Section 6. Accidental Release Measures.

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective gloves/protective clothing/eye protection/face protection.

### 6.2. Environmental precautions

Allow to evaporate.

### 6.3. Methods and material for containment and cleaning up

Prevent sources of ignition.

Ensure adequate ventilation.

Keep out of confined spaces because of explosion risk.

### 6.4. Reference to other sections

See Section 7 for information on Safe Handling

See Section 8 for information of Personal Protective Equipment.

See Section 13 for information on disposal.

## Section 7. Handling and Storage.

### 7.1. Precautions for safe handling

Wear protective gloves/protective clothing/eye protection/face protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Ensure adequate ventilation.

Prevent sparks, flames, heat and smoking.

Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50

### 7.3. Specific end use(s)

Intended for use as Rubber Care Lubricant, Model Number identified in 1.1 with Description stated in 1.2.



## Section 8. Exposure Controls/Personal Protection.

### 8.1. Control parameters

Workplace exposure limits.

Substance	CAS number	Workplace exposure limit.			
		Long term.		Short term.	
		ppm	mg.m <sup>3</sup>	ppm	mg.m <sup>3</sup>
Butane	106-97-8	600	1450	750	1810

### 8.2. Exposure controls

#### Appropriate Engineering Controls

Ensure adequate ventilation.

Prevent sources of ignition.

Do not smoke in work area.

Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

#### Eye/Face Protection

EN 166 tight fitting goggles

#### Skin Protection

Use solvent resisting protective gloves.

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

#### Respiratory Protection

EN 149 FFP3 mask.



## Section 9. Physical and Chemical Properties.

### 9.1. Information on basic physical and chemical properties

**The following information is not a technical specification or sales specification.**

(a) Appearance:	Aerosol.
(b) Odour:	No data available.
(c) Odour threshold;	No data available.
(d) pH:	Not relevant.
(e) Melting point/freezing point;	Not relevant.
(f) Initial boiling point and boiling range;	Not relevant.
(g) Flash point;	No data available.
(h) Evaporation rate;	No data available.
(i) Flammability (solid, gas);	No data available.
(j) Upper/lower flammability;	Lower; 0.8% Upper; 9.0%
(k) Vapour pressure;	Not relevant.
(l) Vapour density;	Not relevant.
(m) Relative density;	Not relevant.
(n) Solubility(ies);	Insoluble in water.
(o) Partition coefficient: n-octanol/water;	No data available.
(p) Auto-ignition temperature;	No data available.
(q) Decomposition temperature;	Not relevant.
(r) Viscosity;	Not relevant.
(s) Explosive properties;	No data available.
(t) Oxidising properties.	No data available.

**9.2 Other information** No data available.

## Section 10. Stability and Reactivity.

<b>10.1. Reactivity</b>	No information available.
<b>10.2. Chemical stability</b>	Stable under normal temperature conditions.
<b>10.3. Possibility of hazardous reactions</b>	No information available.
<b>10.4. Conditions to avoid</b>	Avoid heat, flames and other sources of ignition. Avoid contact with: Strong oxidising agents. Strong alkalis. Strong mineral acids.
<b>10.5. Incompatible materials</b>	No information available.
<b>10.6. Hazardous decomposition products</b>	Fire creates: Vapours/gases/fumes of: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ).



## Section 11. Toxicological Information.

### 11.1. Information on toxicological effects

#### Inhalation

May be fatal if swallowed and enters airways.

May cause irritation to the respiratory system. Vapours may cause headache, fatigue, dizziness and nausea.

Prolonged inhalation of high concentrations may damage respiratory system.

Irritating to respiratory system.

#### Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting.

Gastrointestinal symptoms, including upset stomach.

#### Skin contact

Prolonged or repeated exposure may cause severe irritation. Acts as a defatting agent on skin.

May cause cracking of skin and eczema. May cause allergic contact eczema.

May cause sensitisation by skin contact. Irritating to skin.

#### Eye contact

Irritating to eyes. May cause chemical eye burns.

#### Route of entry

Inhalation. Skin and/or eye contact.

## Section 12. Ecological Information.

12.1. Toxicity	No data available.
12.2. Persistence and degradability	No data available.
12.3. Bioaccumulative potential	No data available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	No data available.
12.6. Other adverse effects	No data available.

## Section 13. Disposal Considerations.

### 13.1. Waste treatment methods

Dispose of in accordance with local authority regulations.

Do not incinerate. Explosion risk.



## Section 14. Transport Information.

### ADR. International Carriage of Dangerous Goods by Road.

<b>14.1.</b> UN number	UN 1950
<b>14.2.</b> Name and Description	AEROSOLS, flammable
<b>14.3.</b> Transport hazard class(es)	2
<b>14.4.</b> Packing group	-
<b>14.5.</b> Environmental hazards	Does not present an environmental hazard.
<b>14.6.</b> Special precautions for user	No special precautions necessary.

### IATA. International Air Transport Association.

<b>14.1.</b> UN number	UN 1950
<b>14.2.</b> UN Proper Shipping Name/Description	AEROSOLS, flammable
<b>14.3.</b> Transport hazard class(es)	Division 2.1
<b>14.4.</b> Packing group	-
<b>14.5.</b> Environmental hazards	Does not present an environmental hazard.
<b>14.6.</b> Special precautions for user	No special precautions necessary.

### IMDG. International Maritime Dangerous Goods.

<b>14.1.</b> UN number	UN 1950
<b>14.2.</b> UN proper shipping name	AEROSOLS, flammable
<b>14.3.</b> Transport hazard class(es)	2
<b>14.4.</b> Packing group	-
<b>14.5.</b> Environmental hazards	Does not present an environmental hazard.
<b>14.6.</b> Special precautions for user	No special precautions necessary.
<b>14.7.</b> Transport in bulk – Maritime only.	Bulk transport is not applicable to this product





## Section 15. Regulatory Information.

**15.1.** Safety, health and environmental regulations/legislation specific for the substance or mixture  
No data available.

**15.2.** Chemical safety assessment  
No data available.

## Section 16. Additional Information.

Full text of Phrases and Statements used in Section 3;

H220 Extremely flammable gas.  
H304 May be fatal if swallowed and enters airways.  
H340 May cause genetic defects.  
H350 May cause cancer.

The above information is believed to be accurate and represents the best information currently available.

No warranty is expressed or implied by the above information.

We assume no liability resulting from use of the above information.

The end user should conduct their own investigations to determine the suitability of the above information for their particular purpose.

Issue level	Date	Revisions
1	31/03/16	First issue.
2	15/09/16	Sections 3, 14, 15 & 16
3	30/05/20	Sections 2 & 8.

End of Safety Data Sheet.